


ACTIVATOR WARNING

The following presentation involves content that may be activating or triggering, including topics of mental health, mental illness, suicide, trafficking, substance use, and physical and emotional abuse. If you or someone you know is struggling with the content or with related situations, please contact any of the following supports:

- Trusted Teacher/Adult
- Certified School Counselor
- Social Worker
- District Mental Health Counselor



WHAT IS HEALTH?

- Physical and Mental Health
- Recognize the physical and mental health needs of ourselves and others
- Use our personal power to decrease the stigma associated with mental illness



KEY TERMS - MENTAL HEALTH



- Healthy
 - Being in good health.
- Helping Professional
 - A qualified professional who helps others with their mental wellbeing.
- Mental Distress
 - The emotional response to daily challenges that results in thoughts, feelings, and actions.

- Mental Health
 - A person's emotional wellbeing that affects thoughts, feelings, and actions.
- Mental Health Problems
 - The stronger or more intense emotional response to greater life challenges.



KEY TERMS - CONTINUED

Mental Illness

 Extreme difficulty or changes in thoughts, feelings, and actions that lasts over time and interferes with daily activities. Mental illness is a medical condition that requires diagnosis and help from a qualified helping professional.

Mental Wellbeing

 Being able to handle the stressful and unexpected things that happen in daily life. Managing thoughts, feelings, and actions positively.

Physical Health

The health or condition of your body.

Physical Wellbeing

 Physical well-being is more than just the health of your body.
 Physical wellbeing includes the lifestyle choices that promote and enhance physical wellness.

Stigma

 A negative or disapproving attitude or belief that can cause people to avoid or fear something; usually a result of lack of knowledge or understanding.

Unhealthy

Being in poor health



MENTAL WELLBEING

*

- Mental health includes:
 - Sense of self-esteem and self-confidence
 - Identify, express and regulate emotions
 - Set and achieve goals
 - Recognition of one's creative skills
 - The ability to expand knowledge and skills
 - Feel and show empathy for others
 - Create and maintain satisfying relationships

- Good Physical Health
 - Physical Illness
- Good Mental Health
 - Mental Illness



STIGMA

- Stigma
 - A negative or disapproving attitude or belief that can cause people to avoid or fear something
 - Usually a result of lack of knowledge or understanding.
- Mental health is often stigmatized.
 - When diagnosed with a physical illness, do we judge or blame the person?
 - When diagnosed with a mental illness, have you or have you seen others judge or blame the person?
- There are often predetermined thoughts, ideas, and judgements about mental illness which are untrue and can be harmful
 - Usually a lack of knowledge or understanding
- Need to seek help from a trusted adult when there is a physical OR emotional concern
 - Never put yourself in harm's way

HEALTH IS LIKE A ROLLERCOASTER



Flat Tracks

- Feel healthy
- Thoughts are clear
- Making good choices
- Do not need any help

Curves and Slopes

- May not feel as healthy
- Some aches, pains, or struggles
- May not think as clearly
- May act out on your emotions
- A friend, parent, trusted adult, or school counselor may be helpful

Steep Ups and Deep Drops

- Feel unhealthy, sick, or injured
- Strong feelings and emotions are overwhelming
- Thoughts are jumbled
- Actions may be out of your control
- Doctor or helping professional may be required



ASK CARE TELL

A.C.T.

- Ask when we observe something of concern in a friend.
- Care about our friend by responding without judgement and with support when that friend discloses something unsafe or when we are concerned about a friend's safety
- Tell a trusted adult or helping professional.

Ask:

- "You look upset, are you okay?"
- "Is there something bothering you?"


• Care:

- "That must be really difficult."
- "I'm glad you told me; I will do my best to help."
- "Wow, that's a lot to deal with."

• Tell:

- "You really need to tell someone what is going on, I am here for you, and I will go with you."
- "We need to go talk to someone. Let's go see____."
- "I understand you don't want me tell anyone, but I have to tell someone who can help because you're not safe."





STIGMA

- Often a stigma associated with mental illness
- Negative ideas and beliefs usually stem from a lack of understanding
- Can keep some people from seeking needed help
- Understanding mental health helps us decrease the stigma.

KEY CONCEPTS - MENTAL ILLNESS



- Healthy:
 - Being in good health.
- Helping Professional:
 - A qualified professional who helps others with their mental wellbeing.
- Mental Distress:
 - The emotional response to daily challenges that results in thoughts, feelings, and actions.
- Mental Health:
 - A person's emotional wellbeing that affects thoughts, feelings, and actions..

- Mental Health Problems:
 - The stronger or more intense emotional response to greater life challenges.
- Mental Illness:
 - Extreme difficulty or changes in thoughts, feelings, and actions that lasts over time and interferes with daily activities. Mental illness is a medical condition that requires diagnosis and help from a qualified helping professional

KEY CONCEPTS, CONTINUED



Mental Wellbeing:

 Being able to handle the stressful and unexpected things that happen in daily life. Managing thoughts, feelings, and actions positively.

Physical Health:

The health or condition of your body.

Physical Wellbeing:

 Physical wellbeing is more than just the health of your body. Physical wellbeing includes the lifestyle choices that promote and enhance physical wellness.

Stigma:

 A negative or disapproving attitude or belief that can cause people to avoid or fear something; usually a result of lack of knowledge or understanding.

Unhealthy:

Being in poor health



CAUSES OF ILLNESS

- Causes of physical illness or injury
- How do you catch a cold?
 - From germs by touching something that has germs, drinking after someone who is sick
- How do you get asthma?
 - From genes a person's airways constrict or get smaller which makes it hard to breathe
- How could someone sprain their ankle?
 - From moving the wrong way -a fall, a car accident, playing sport


- Sometimes we don't know exactly what causes a person to get sick or injured
- Can be many causes of physical injuries and illness, there can also be many causes of mental illnesses and mental health problems
 - Biological factors
 - Genetics or heredity
 - Illness
 - Injury
 - Environmental factors
- Mental illness is NOT caused by personal weakness or poverty



HOW THE BRAIN IS INVOLVED IN MENTAL HEALTH

X

- You needed to deliver an important message to a friend, but the door is locked
- Can you deliver the message?
- Can you deliver the message correctly?
- What could happen?
 - Your friend may go home on the bus
 - Your friend may not know what to do
- When a message is not sent or delivered accurately, it can cause problems
- Brain sends messages to different parts of itself through neural pathways and connections
 - Pathways get blocked or broken and the communication is disrupted



THE BRAIN, CONTINUED

- Can cause thoughts, feelings, or behaviors to be affected
- Could cause someone to have very sad thoughts, very strong emotions, or cause their behaviors to change
 - Might be a signal of mental illness or a mental health concern

- Intense thoughts, strong emotions, and changes in behavior do not always signal mental illness
 - Could be normal or expected reactions to life events
 - For example, feeling anxious or worried about moving to a new town
 - Feeling grief and wanting to be alone after the death of a family member
 - Sleeplessness and fear about a hurricane on the way
- Reactions are often temporary, could be normal
- Cause for concern based on intensity and duration of reaction



STATES OF MENTAL HEALTH

*

- Everyone goes through a range of emotions and mental health states
- Stressful events/situations can generate a reaction
- Difference between temporary emotional reaction and a mental health concern/mental illness
- Flat Tracks
 - Feel healthy
 - Thoughts are clear
 - Making good choices
 - Do not need any help

- Curves and Slopes
 - May not feel as healthy
 - Some aches, pains, or struggles
 - May not think as clearly
 - May act out on your emotions
 - A friend, parent, trusted adult, or school counselor may be helpful
- Steep Ups and Deep Drops
 - Feel unhealthy, sick, or injured
 - Strong feelings and emotions are overwhelming
 - Thoughts are jumbled
 - Actions may be out of your control
 - Doctor or helping professional may be required

STATES OF MENTAL HEALTH - MENTAL DISTRESS

- The emotional response to daily challenges that results in thoughts, feelings and actions
- A person may think:
 - "I don't want to do this"
 - "I don't like what is happening"
 - "I can't do this"
- A person may feel:
 - Anxious
 - \circ Sad
 - Upset
 - Confused
 - Angry



MENTAL DISTRESS, CONTINUED

- A person's body may:
 - Have stomach butterflies
 - Tense muscles
 - Shed a few tears
- A person may:
 - Start working on a plan to deal with the situation
 - Do what they did last time to handle the problem
 - Ask for help



STATES OF MENTAL HEALTH - MENTAL HEALTH PROBLEM

- The stronger or more intense emotional response to greater life challenges.
- A person may think:
 - "I can't handle this"
 - "I want things to be the way they were before"
 - "I will never get over this"
- A person may feel:
 - A great deal of anxiety
 - Extreme sadness
 - Tremendous grief
 - Very angry



MENTAL HEALTH PROBLEM, CONTINUED

- A person's body may:
 - Not be able to sleep or sleep too much
 - Not be able to eat or eat too much
- A person may:
 - Have problems getting along with family or friends
 - Have problems doing the things they usually do
 - Need to ask for help from a friend, trusted adult or helping
 - professional



STATES OF MENTAL HEALTH - MENTAL ILLNESS

X

- Characterized by extreme difficulty or changes in thoughts, feelings, and actions
- Lasts over time and interferes with daily activities
- Medical condition that requires diagnosis and help from a qualified helping professional

- A person may have thoughts that are:
 - Hopeless
 - Unrealistic or delusional
 - Suicidal
- A person may feel:
 - Overwhelming anxiety
 - Uncontrollable sadness
 - Tremendous grief
 - Extreme anger or rage
 - Mania unusually elevated mood, impulsivity

MENTAL ILLNESS, CONTINUED

- A person's body may have:
 - Extreme tiredness, can't get out bed
 - Inability to sleep staying up for days at a time
 - Uncontrollable movements or twitches
 - Severe eating problems
- A person may:
 - Withdraw from family or friends
 - Refuse to participate in things they used to enjoy
 - Not be able to leave the house
 - Try to harm themselves
 - Have problems doing the things they usually do
- Must seek help from a trained mental health professional who can provide the needed care

DECREASING STIGMA

- Can make assumptions that may or may not be true
 - Might be afraid of what we do not understand
 - Might avoid it
- Important to work on decreasing stigma associated with mental health concerns
 - Because of stigma, someone might feel embarrassed to admit they are having a hard time
 - Can lead to reluctance to talk about what they're experiencing or to seek help

HOW TO DECREASE STIGMA

- Talk openly about mental health
 - Everyone struggles sometimes
- Learn about mental health and mental illness
- Challenges with physical and mental health can be the result of a treatable illness
 - If you had a broken leg, you'd go to the doctor
 - If you're experiencing a mental health concern, seek help from a mental health professional


- Show compassion for those with mental illness
 - Just as you would show compassion for someone with a physical illness
 - Never make fun of or bully someone because of mental health
- It's OK to talk about it
 - Be honest about what you're feeling and seek help if you need it





KEY TERMS - AWARENESS AND PREVENTION

- Suicide:
 - Intentionally taking one's own life.
- Suicidal ideology:
 - Thinking about, planning for, or considering suicide
- Important to understand the risk factors and warning signs of suicide
- Always seek help when there is a concern about suicide



MENTAL ILLNESS AWARENESS

- Involves a variety of conditions.
- Common mental illnesses:
 - Depression
 - Anxiety
 - Eating disorders.
- Never joke about or make fun of mental illness or mental health challenges
- Important to understand general information about mental illnesses
- Should not assume everyone who displays a symptom of a mental illness has one
- A qualified professional must make a diagnosis

SYMPTOMS OF COMMON MENTAL ILLNESS

Anxiety Disorder:

- Feeling extremely afraid, worried, or uneasy about a situation or thing.
- Feelings are intense interferes with daily activities.

Bipolar Disorder:

- Mood or emotional disorder causing extreme mood swings
- From an extremely happy or good mood (mania) to extremely sad, overwhelmed, or low mood (depression).
- More extreme than usual ups and downs

Conduct Disorder:

- Extremely destructive toward other people, animals, and property
- Includes failure to follow rules and comply with requests
- Running away or skipping school may be result of a conduct disorder

• Depression:

- Overwhelming feelings/emotions including sadness and irritability for an extended period
- Daily activities can be impacted
 - Sleeping
 - Eating
 - Attendance



SYMPTOMS, CONTINUED



Eating Disorder:

- Distorted body image
- Dangerous, abnormal, extreme eating behaviors, including insufficient intake of food (anorexia nervosa), excessive eating (binge eating disorder), or purging after eating (bulimia)

• Schizophrenia:

- Serious mental illness
- Disconnection between thoughts, emotions, and behaviors
- Withdrawal from reality, delusions, difficulty thinking, speaking, or interacting in an organized way

• Suicide:

- Not a mental illness
- May result from mental illness
- Second leading cause of death in youth age 10 - 24
- Defined as self-inflicted behavior with the intent to die
- Suicidal ideation or ideology
 - thinking about, planning for, or considering suicide.

DIAGNOSIS

- This is not a comprehensive list
- Most common with students in middle and high school
- Background information, not to determine a diagnosis
 - Only trained professionals can diagnose a mental illness
- Please seek help from a trusted adult if you have any concerns

SUICIDE RISKS

*

- Mental illness such as depression or bipolar disorder
- Overwhelming feelings of distress or anxiety
- Perfectionism wanting to be perfect, but feeling you are not perfect
- Low self-esteem
- Struggling in school

- Not feeling connected to or supported by family or friends
- The use and abuse of alcohol or drugs
- LGBTQ+ youth who may feel rejected



SUICIDE WARNINGS

- Talking or writing about dying
- Making suicide plans
- Previous suicide attempts
- Giving away precious possessions
- The loss of a friend or family member to suicide
- Loss from death, divorce, or a friendship break-up
- Change in personality
- Change in behavior
- Feeling helpless or hopeless, seeing no hope for the future
- Low self-esteem
- Being or feeling isolated
- Being the victim of bullying



SUICIDE PREVENTION

- Suicide has many causes and it is a VERY complicated issue
- If you or someone you know has thoughts or plans about suicide, you must seek help
- All threats must be taken seriously
- Sources of help can be:
 - o Family member
 - Friends
 - School counselor
 - Crisis hotline
 - Suicide hotline
 - Mental health professional



SUPPORTING OTHERS

X

- If you or anyone you know are demonstrating signs or risks of suicidal thinking or behavior, you must get help immediately
- When someone is feeling suicidal, it is difficult to think clearly

DON'T

- Try to rationalize or minimize what the person is feeling
- DO
 - Tell them you are concerned
 - Tell them you don't want them to hurt themselves
 - Tell them you are going to get help

NATIONAL SUICIDE PREVENTION HOTLINE

The National Suicide Prevention Hotline: 1-800-273-8255

Suicide and Crisis Lifeline [call or text]: 988

Mobile Crisis Response: 211

Emergency Services: 911





KEY TERMS - SEEKING HELP

- There are warning signs Red Flags that signal a mental health concern
- Important to:
 - Be aware of warning signs
 - Use personal power to seek help
- Red Flag:
 - Warning sign or signal that something is wrong and help is needed



PHYSICAL HEALTH RED FLAGS

- Physical signals tell us our bodies need something.
- For example:
 - Need sleep we yawn
 - Yawn is the signal that we need sleep
 - Need food stomach growls
 - Stomach growling is a signal that we need food
- Need to pay attention to mental health Red Flags, too



MENTAL HEALTH RED FLAGS

- There are many Red Flags to signal help is needed for our mental health
- Important to know:
 - When things are more than a "rainy day"
 - When a trusted adult or a mental health professional should be contacted
 - When you should be concerned for yourself or someone you know
- If you or someone you know is experiencing any of the red flags on the following slide, you need to seek help





WARNING - TIME TO GET HELP

- Feeling very sad or down for more than 2 weeks (crying frequently, feeling tired, not wanting to do anything)
- Feeling scared or afraid for no reason, sometimes with racing heart or fast breathing
- Not eating, throwing up, losing a lot of weight
- Extreme mood swings that cause problems in relationships with friends and family.
- Drastic changes in behavior, personality or sleeping habits (difficulty falling or staying asleep, sleeping too much or too little, acting differently, not feeling like yourself)
- Extreme difficulty paying attention, sitting still, finishing schoolwork
- Feeling extremely worried and fearful, causing inability to complete daily activities
- No longer being interested in the activities and things someone used to like
- Trying to harm or kill oneself or making plans to do so
- Behavior that is out-of-control or dangerous that can cause harm to self or others
- Using and abusing drugs or alcohol

SEEKING HELP

It is important to:

- Seek help for others
- Check in on ourselves
 - Supporting others comes with its own challenges



IDENTIFYING RESOURCES

- Being aware of when you need to get help is important. It is also important to think about who you can go to for help.
- Consider:
 - Who can help when you are at school?
 - Who can help when you are at home?
 - Who can help when you are concerned about a teammate?
 - Who can help if you are worried about a neighbor?
 - Who can help if you are worried about a parent?
- REMEMBER: ask for help and continue to ask until you are both hear and helped.

RESOURCES FOR TEENS

National Suicide Hotline:

1-800-SUICIDE (784-2433)

SAMHSA - Substance Abuse and Mental Health Services Administration:

1-300-622-HELP (4357)

National Alliance on Mental Illness (NAMI):

800-950-6264 or text NAMI to 741741

The Jason Foundation: 1-800-274-TALK

(8255) or text JASON to 741741

National Suicide Prevention Lifeline: 1-800-273-TALK (8255)

The Trevor Project: 866-4-U-TREVOR

Project Safe Place:

866-833-6727

TeenScreen.org:


1-888-290-7233



REVIEW

- Red Flags warning signs
 - Signal a mental health concern
- Recognizing signs helps us know when to seek help
- Use personal power to seek help for ourselves or others





KEY TERMS - STRESS

Stress

 Feeling worried or uneasy about something.

Stressor

 The event or circumstance that makes you feel stressed



HEALTHY STRESS

X

- Everyone faces stressful situations
- Healthy stress helps us accomplish things
 - Assignments
 - Tests
 - Deadlines
 - Set goals
 - Start working
 - Get things done

- Roller coaster analogy
 - When you are on the flat track, you may face a small bump or curve (something stressful that happens), but you can handle it.
- Healthy stress can happen when:
 - You have a science project
 - A book report to present
- Healthy stress may cause:
 - Sweaty hands
 - Butterflies in the stomach.
- Reactions go away quickly

UNHEALTHY STRESS

- Unhealthy stress
 - More intense feelings
 - Daily life more difficult
 - Reactions continue for a much longer time
 - Reactions more serious 0




Emotions:



- Angry
- Sad
- Irritable
- Nervous

Physical Reactions:

- Difficulty sleeping
- Difficulty eating/stomach aches
- Difficulty concentrating
- Headaches
- Crying



STRESSORS AND MANAGING STRESS



- Stressors
 - events or circumstances that make you feel stressed
- Might include difficulty in school, a big fight with a friend, family problems, health problems
- There are events in everyone's life that can be stressful.
- Important to learn how to manage stress

Managing Stress:

- Get relaxed: relaxation exercises, breathing exercises, mindfulness
- Get creative: explore drawing, writing, or music
- Get moving: try yoga, exercise, or walking
- Get outside: try an outdoor activity
- Get with friends: spend time with friends
- Get help: reach out to a friend, trusted adult, or helping professional, and ask for help



WHEN TO SEEK HELP

- Mental health is not something to be taken lightly
- Must seek help from a trusted adult
- Serious physical illness requires a doctor's diagnosis
 - Mental illness requires a diagnosis by a professional

RELAXATION ACTIVITIES

- We cannot always control stress
- Can learn to relax and reduce the effect of stress
- Strategies such as focused breathing can help us relax
- Let's try!




RELAXATION ACTIVITIES - BREATHING TO RELAX

RELAXATION ACTIVITIES - MUSCLE RELAXATION

IN CONCLUSION

- Everyone has stress in their life
- Cannot always control things that cause stress
 - o can often learn to manage stress
- Good stress is normal
 - helps us do what we need to do
 - Ex: study for a test
- Unhealthy stress is overwhelming
 - Can lead to mental health concerns
- Important to learn ways to manage and reduce stress





KEY TERMS - HEALTHY CHOICES

Addiction:

 To be physically and mentally dependent on a substance and unable to stop using it

Assertiveness:

 Using your personal power to be confident and stand up for yourself and others while also being considerate of others and not violating their rights

Balance of Power:

Equal and shared power by people in a relationship

Consequence:

The result or effect of the choices you make

ASSERTIVENESS

X

- Using our personal power to be confident and stand up for yourself and others
- Assertiveness can help us deal with Peer Pressure
 - To fit in
 - Feeling worried about losing a friend if you say no
 - Our friends are doing it
 - Because we want to feel older or do what the older kids are doing
 - Because we are curious
 - To ease physical or emotional pain

 It is not always easy to stand up to peer pressure, but we have the skills to use our voice and personal power to say no



CHOICES

- Choices result in consequences:
 - what happens after we make a choice
- Example:
 - Choice:
 - Study for the test
 - Consequence:
 - Get a good grade
 - Choice:
 - Get high every morning and skip school
 - Consequence:
 - Fail your classes

- Choosing drugs, alcohol, or nicotine will have consequences
 - Ex: Developing a drug abuse or addiction problem
- Addiction:
 - To be physically and mentally dependent on a substance and unable to stop using it



5 STAGES OF ADDICTION



STAGE 1 - TRYING

- When a person tries or experiments with a drug for the first time.
- May be due to:
 - Pressure from friends and/or trying to fit in
 - Curiosity about what it is like
 - o To be rebellious
- Most people can stop using on their own at this stage
 - If the drug is being used in response to a problem or to "feel better," help is needed




STAGE 2 - USING

- When a person continues to regularly use the drug because of how it makes them feel
- Use becomes predictable, part of daily life or under specific circumstances
- Drug interacts with the brain
 - Changes can last hours, days, weeks, months

STAGE 3 - MISUSING

- When a person continues to use the drug, despite harm it is causing
- Can develop tolerance
 - requiring more and more of the drug to get the same effect
- May begin to show changes in behavior, engage in risky behaviors
- May begin using the drug at times that are inappropriate
- Can lead to failure to take responsibility for obligations
- Tolerance is a sign of misuse and a red flag of addiction



STAGE 4 - ABUSING

- When the person must continue using the drug
 - Mental and/or physical dependence
- Without the drug, person can experience withdrawal:
 - Feel anxious
 - Sick
 - Physical reaction
- Person believes the drug is needed to feel normal, use the drug at times that are not appropriate
- Substance abuse treatment program may be needed to stop using the drug



STAGE 5 - ADDICTION

- Person is unable to stop using the drug
- Need for the drug is overwhelming
- Can result in:
 - health problems
 - money problems
 - relationship problems
- Person often denies that they have a problem with drugs
- Person may do whatever is needed to get more of the drug,
 - Puts them at risk
- Requires the help of a professional addiction treatment program



SEEKING HELP

- Addiction begins with the first use of a drug
- Cannot get addicted to something you have not tried
- Risk of addiction increases with continued and ongoing use
- Help may be needed at ANY stage of addiction
 - Professional help may be needed to quit
- Trying/using drugs may be the result of a mental or emotional need



ADDICTION SUMMARY

X

- Five stages of developing an addiction:
 - Trying
 - Using
 - Misusing
 - Abusing
 - Addiction
- Reasons people try drugs:
 - Peer pressure
 - Wanting to fit in
 - Worrying about what others will think
 - Curiosity
 - Wanting to act older
 - To escape their problems

- Important to understand the dangers of drug use and when help is needed
 - At any stage help may be required to stop
- Personal power, can help us make healthy choices





INTRODUCTION TO TRAFFICKING

- When someone is recruited, hidden, or transported against their will for services and the financial gain of another person
- "Modern-day slavery"
- Important to identify unsafe situations and unhealthy relationships
- Using personal power to maintain balance of power will help you stay safe

KEY VOCABULARY - HUMAN TRAFFICKING



- A.C.T.:
 - o Ask, Care, Tell.
- Balance of Power:
 - How power is shared by people in a relationship.
- Coercion:
 - Maintaining control and making someone do something against their will by using threats and intimidation
- Force:
 - Maintaining control and making someone do something against their will by using violence

Fraud:

- Maintaining control and making someone do something against their will by using false promises and lies
- Human Trafficking:
 - When someone is recruited, hidden, transported against their will for services and the financial gain of another person.

KEY VOCABULARY, CONTINUED

Personal Power:

- Tools we have to help us make safe decisions to help ourselves and others
- Safe and Unsafe Relationships:
 - Safe relationship balance of power where healthy boundaries protected; relationship is positive, rational, productive, and supportive
 - Unsafe relationship imbalance of power; results in one person being controlled and manipulated by another; boundaries not respected, resulting in a negative relationship

Trauma Bond:

 A bond rooted in survival instinct; the victim is made to feel they cannot survive without the protection and support of the abuser, making it very difficult for the victim to leave. The trafficking victim loses their sense of self, adopts the worldview of the abuser, and takes responsibility for the abuse.



CONTROL

- Exert control by removing victim's freedom
- Control:
 - Money
 - Food
 - Personal identification
 - Living conditions
- Often provide illegal drugs to victims, maintaining control through access to drugs
- Emotional and psychological manipulation

RISK FACTORS

- Running away from home
- Needing money or living in poverty
- Dropping out or skipping school
- Lack of job opportunities
- Low self-esteem
 - May be more easily taken in by the lies and manipulation of traffickers
- Social isolation
 - Limits who you turn to for help and who will notice that you may be in an unsafe situation
- Substance abuse using drugs and alcohol

- Traffickers look for victims who are not going to tell
- Using your voice and personal power is an important way to protect yourself





TARGETING - SOCIAL MEDIA

Traffickers use many social media sites and digital devices to contact potential victims

- Human traffickers groom victims
 - May start by scouting victims through social media sites
 - Use a variety of techniques to manipulate the victim
 - Trap the victim and use them for financial gain
- Often post false ads promising easy money as a way to find vulnerable victims who can be tricked, trapped, and trafficked
- Cell phones and social media are also used to maintain control
 - Will pretend to be the victim and send messages to friends and family claiming that everything is okay and that the victim is safe

TARGETING - MALLS, HANG-OUTS, BUS STOPS

- Find victims in the places where kids spend time:
 - Malls
 - Movie theaters
 - Fast food restaurants
 - o Bus stops
- Know that a teen who is alone may be more vulnerable
- Look for teens who respond to their attention, who are homeless, or who need money
- Build a relationship, make false promises, and trap the victim



TARGETING - PEER RECRUITERS

*

- May find a victim at a local hangout or online
 - Starts giving the victim attention and gifts
 - May act like a boyfriend/girlfriend
 - Introduces victim to the trafficker;
 victim is trapped and trafficked
- Will befriend the victim and offer drugs and alcohol
 - Maintain control through access to the drugs and alcohol
 - Use threats of telling parents or other important adults
 - Fear of getting in trouble or addiction to drugs keeps victim trapped

- May trick victims by showing off expensive clothes, fancy shoes, pretty nails, and hair
 - Recruiter offers to introduce the victim to a friend who will do the same for them
 - Gifts and attention are soon replaced with demands from the trafficker

RED FLAGS OF TRAFFICKING

- Appears fearful or anxious
- Overly submissive, nervous, or tense
- Lack of eye contact
- Displays unusually anxious behavior or appears fearful at the mention of law enforcement
- Appears to be in poor health or does not seek medical attention when needed
- Appears undernourished or malnourished
- Shows signs of physical and/or sexual abuse
- Has marks indicating physical restraint or confinement
- Branding or tattoos with a name or nickname



LIVING AND WORKING CONDITIONS

- Unable to leave or come and go when you want
- Working for little or no pay, or paid only with tips
- Working extremely long and/or unusual hours
- Not allowed to take a break
- Working with excessive restrictions
- Owing the employer large amounts of money and being unable to repay the debt
- Recruited with false promises regarding the type or work, living conditions, and working conditions
- High security measures at the work site and/or the living locations
 - o Boarded up or covered windows, security bars, security cameras, barbed wire fences
- Signs of drug addiction
- Being forced into sexual situations

GETTING HELP

- Tell a trusted adult
- Call the National Human Trafficking Resource Center (NHTRC) Hotline at 888-373-7888
- Text HELP to "BeFree" (233-733) to be connected with the NHTRC Hotline
- Call the Florida Abuse Hotline at 800-96-ABUSE (1-800-962-2873)
- Call 911 to reach local law enforcement
- Call the US Department of Justice at 888-428-7581

ASK CARE TELL



A.C.T.

- Ask when we observe something of concern in a friend.
- Care about our friend by responding without judgement and with support when that friend discloses something unsafe or when we are concerned about a friend's safety
- Tell a trusted adult or helping professional

 You must involve a trusted adult and either accompany that friend when you tell an adult or tell an adult yourself if the friend feels as though they cannot tell



SUMMARY


- Be cautious of potential risks
- Traffickers often seek out children and teens who are vulnerable
- Recognize an appropriate balance of power in relationships
- Be aware of situations where you may be coerced into giving up personal power
- Seek help from a trusted adult or call the National Human Trafficking hotline at 888-373-7888, or text help to 233733 (BeFree)



"If I could have convinced more slaves that they were slaves, I could have freed thousands more." -Harriett Tubman

What does this quote mean to you?

- Can you put it in context of the concept of trauma bonds?
- Why is it important use your personal power to keep yourself and others safe?



RESILIENCE THROUGH ADVERSITY

- Ability to adapt to difficult situations
- When stress, adversity or trauma strikes, you experience anger, grief and pain, but able to keep functioning
- Being able to reach out to others for support is a key part of being resilient

- Tips to improve your resilience
 - Get connected
 - Make every day meaningful
 - Learn from experience
 - Remain hopeful
 - Take care of yourself
 - Be proactive



EMPATHY, PERSEVERANCE, GRIT, GRATITUDE, AND RESPONSIBILITY

Empathy

• When students are aware of and able to understand the feelings of others

Grit

 Strength of character to persevere through any situation and work towards achieving goals

Gratitude

Feelings of thankfulness and appreciation for the kindness and generosity of others

Responsibility

Ability to be prepared, reliable and accountable for decisions and actions

GRIT AND PERSEVERANCE

X

- Grit is passion and perseverance towards long-term goals
- A goal is the object of purposeful effort
- Reaching a goal requires focus and effort
- Writing down your goals makes you more likely to achieve them
 - includes creating an action plan and a system to hold yourself accountable

- Action Plan
 - A formal sequence of steps that guide you toward a goal.
- Accountability
 - The fact and understanding that you are responsible for something.
- You alone are accountable for your effort and focus

SETTING GREAT GOALS

- G oal's Name
 - Describe your goal in 5 words or less
- R eason for Your Goal
 - Every GREAT goal has a "why" that gives it purpose and direction
- E fforts Required
 - How are you going to achieve your goal? List 4 specific steps that you will take today, tomorrow, next week, and beyond
- A ccountability Partner
 - When you tell someone about your goal, it becomes real. List 1 or 2 people you will share your goal with
- T imeline for Your Goal
 - Today is your starting point. When do you want to achieve your goal?

EXPRESSING GRATITUDE

- One of the simplest ways to demonstrate caring to other individuals
- Added benefit of raising our happiness levels, making us more productive and healthier
- Long-term benefits of expressing gratitude are only felt if we make expressing gratitude a habit

Gratitude Journal

- Journal about what we are grateful for over the previous 24 hours and why
- 3 Gratitudes
 - Share three things we are grateful for each day
- Random Act of Kindness
 - Spend two minutes writing an e-mail or making a phone call praising or thanking someone for something they have done

MENTORSHIP

- The opportunity for a student to receive guidance and direction
 - Best Buddies Florida
 - Big Brothers Big Sisters
 - Boys & Girls Clubs of Florida
 - Girl Scouts of Florida "Get Real" Mentoring Program
 - Orlando After-School All-Stars
 - Take Stock in Children



CITIZENSHIP & VOLUNTEERISM

- Responsibilities of citizenship
- Things citizens may not have to do, but SHOULD do to make their community and the world around them a better place
- Citizens should be informed
 - Know what's going on around them, who elected leaders are, and what they're doing
 - Can be done by paying attention to the media, like newspapers or TV news
- Citizens should be involved
 - Voting for leaders who share their values, but also by contributing to the common good: volunteering, helping out, and donating their time or money

HONESTY & INTEGRITY




Honesty

 Ability to be truthful in both their words and their actions

Integrity

- Being strong enough to do what you know is right
- Knowing the difference between right and wrong and choosing to do the right thing, even when difficult
- Includes honesty and responsibility

- For Example:
- Matt and his friends went to the movies. His friends snuck in the side door without paying. Should Matt sneak in, too?
- To act with honesty and integrity, he would NOT sneak in, as it is against the rules and dishonest



TECHNOLOGY



- Negative Effects of Social Media
 - Distraction
 - Sleep disruption
 - Exposure to negative interactions
 - Heightened risk of depression and anxiety symptoms
 - Decrease in life satisfaction
- Addiction
 - Compulsive need to spend a great deal of time on the internet, to the point where relationships, work, and health suffer
 - Impulsivity and poor self-regulation can lead to internet addiction

- Misinformation and Permanency
 - The information people post on the internet is not always accurate
 - Misinformation can influence beliefs and behaviors
 - Digital permanence- any information or pictures you post online can be saved and accessed forever
- Cyberbullying
 - Pattern of repeatedly sending or spreading threatening or mean messages, rumors or embarrassing photos by electronic methods

TECHNOLOGY

*

- How to maintain personal security
 - Only add people you know and verify that they are who they say they are
 - Keep strong passwords
 - Never post personal details

- How to report suspicious behavior
 - Each social media platform has its own user support
 - SafeOC
 - P3 Campus APP
 - Speakout Hotline
 - o 800-423-TIPS



TIMING

8th: 118:07 [1hr 58 min 07 sec]

- Title and Activator: 1:25
- What is Health: 7:27
- What is Mental Illness: 16:06
- Awareness and Prevention: 10:15 + 4:00 [resources]
- Seeking Help: 6:50 + 5:00 [reflect] + 4:00 [resources]
- Wellbeing: 13:18 [includes PMR exercise] + 5:00 reflection
- Healthy Lifestyle: 9:46 + 2:00 [reflect]
- Human Trafficking: 12:54 + 5:00 [reflect] + 4:00 [resources]
- Character: 11:06